

References

- Anderson, R.F., Bacon, M.P. and Brewer, P.G., (1983). Removal of ^{230}Th and ^{231}Pa from the open ocean. *Earth and Planetary Science Letters*, 62: 7–23.
- Baker, E.T. and C.R.German. (2004). On the global distribution of mid-ocean ridge hydrothermal vent-fields. In "The Thermal Structure of the Oceanic Crust and the Dynamics of Seafloor Hydrothermal Circulation", Geophysical Monograph 148, 245-266.
- Baker, E.T., and T. Urabe. (1996). Extensive distribution of hydrothermal plumes along the superfast-spreading East Pacific Rise, $13^{\circ}50' - 18^{\circ}40'$ S, *J. Geophys. Res.*, 101, 8685-8695.
- Bakun, A. and Nelson, C.S. (1991). The seasonal cycle of wind-stress curl in subtropical eastern boundary current regions. *J. Physical Oceanography*. 21,1815-1834.
- Barrett, T.J., Taylor P.N. and Lugowski J. (1987). Metalliferous sediments from DSDP Leg 92, the East Pacific Rise transect. *Geochimica et Cosmochim. Acta* 51, 2241-2253.
- Bennett, S.A., E.P.Achterberg, D.P.Connelly, P.J.Statham, G.R.Fones & C.R.German. (2008). The distribution and stabilization of dissolved Fe in deep-sea hydrothermal plumes. *Earth Planet. Sci. Lett.* 270, 157-167.
- Blain, S., S. Bonnet, and C. Guieu. (2008). Dissolved iron distribution in the tropical and sub tropical South eastern Pacific. *Biogeosci.*, 5: 269-280.
- Boström, K., Peterson M.N.A., Joensuu O. and Fisher D.E. (1969). Aluminium-poor ferromanganese sediments on active ocean ridges, *J. Geophys. Res.*, 74, 3261-3270.
- Brown, J.N., J.S. Godfrey, and A. Schiller. (2007). A discussion of flow pathways in the central and eastern Equatorial Pacific, *Journal of Physical Oceanography* 37 (5), 1321-1339.
- Casciotti and McIlvin. (2007). Isotopic analyses of nitrate and nitrite from reference mixtures and application to Eastern Tropical North Pacific waters. *Marine Chemistry* 107, 184–201
- Chavez, F.P., Bertrand, A., Guevara-Carrasco, R. Soler, P. and Csirsk, J. (2008). The northern Humboldt Current System: Brief history, present status and a view towards the future *Progress In Oceanography*, Volume 79, Issues 2-4, Pages 95-105
- Chu, N-C., C.M.Johnson, B.L.Beard, C.R.German, R.W.Nesbitt, M.Frank, M.Bohn, P.W.Kubik, A.Uzui and I.Graham. (2006). Evidence for hydrothermal venting in Fe isotope compositions of the deep Pacific Ocean through time. *Earth Planet. Sci. Lett.* 245, 202-217.

Coale, K.H., Wang, X.J., Tanner, S.J., Johnson, K.S.,(2003). Phytoplankton growth and biological response to iron and zinc addition in the Ross Sea and Antarctic Circumpolar Current along 170°W. Deep-Sea Res. II 50, 635– 653.

Codispoti, L. A., Brandes, J. A., Christensen, J. P., Devol, A. H., Naqvi, S. W. A., Paerl, H. W., et al. (2001). The oceanic fixed nitrogen and nitrous oxide budgets: Moving targets as we enter the anthropocene? Scientia Marina, 65(Suppl. 2), 85–105.

Corliss, J.B., Lyle M. and Dymond J. (1978) The chemistry of hydrothermal mounds near the Galapagos Rift. Earth and Planetary Science Letters 40, 12-24.

Cowen, JP & Li, YH (1991), The influence of a changing bacterial community on trace-metal scavenging in a deep-sea particle plume, J. Mar. Res. 49, 517-542.

Cowen, JP, Massoth, GJ & Feely, RA (1990) Scavenging rates of dissolved manganese in a hydrothermal vent plume. Deep-Sea Research Part A, 37, 1619-1637.

Cowen, J.P. & C.R.German (2003). Biogeochemical cycling in hydrothermal plumes. In: “Energy and mass transfer in marine hydrothermal systems” (P.E.Halbach, V.Tunnicliffe & J.R.Hein, eds.) Chapter 15, pp.303-316.

Croot, P L; Dammshaeuser, A; Heller, M I; Malien, F; Schlosser, C; Stramma, L; Streu, P; Wuttig, K; Wallace, D. (2010). Oxygen control of biogeochemical cycles in the Peruvian oxygen minimum zone: Iron and iodine redox chemistry and their links to primary productivity and climate. Presented at 2010 Ocean Sciences Meeting.

Cutter, G.A. (1992). Kinetic controls on the speciation of metalloids in seawater. Mar. Chem., 40: 65-80.

Cutter, G.A. and K.W. Bruland. (1984). The marine biogeochemistry of selenium: a re-evaluation. Limnol. Oceanogr. 29: 1179-1192.

Czeschel R. et al., (2010) Mid-depth circulation of the eastern tropical South Pacific and its link to the oxygen minimum Zone J. Geophys. Res, VOL. 116, C01015, doi:10.1029/2010JC006565, 2011

Deutsch C , Sarmiento JL, Sigman DM, Gruber N, Dunne JP (2007). Spatial coupling of nitrogen inputs and losses in the ocean. Nature. Vol. 445 Pages: 163-167

DeMets C., Gordon R.G., Argus D.F. and Stein S. (1994) Effect of recent revisions to the geomagnetic reversal time scale on estimates of current plate motions. Geophysical Research Letters 21, 2191-2194.

¶Dupont, C. L., J. W. Moffett, et al. (2006). "Distributions of dissolved and particulate

biogenic thiols in the subarctic Pacific Ocean." Deep-Sea Research Part I-Oceanographic Research Papers 53(12): 1961-1974.

Edmond J.M., Measures C.I., McDuff R.E., Chan L.H., Collier R., Grant B., Gordon L.I. and Corliss J.B. (1979) Ridge crest hydrothermal activity and the balances of the major and minor elements in the ocean: The Galapagos data. *Earth Planet. Sci. Lett.* 46, 1-18.

Elderfield H. and Schultz A. (1996) Mid-ocean ridge hydrothermal fluxes and the chemical composition of the ocean. *Ann. Rev. Earth Planet. Sci.* 24, 191-224.

Farrenkopf, A. M., G. W. Luther, III, V. W. Truesdale and C. H. van der Weijden. (1997). Iodide maxima below the euphotic zone of the Northwest Indian Ocean: Evidence for interactions of iodine with carbon. *Deep Sea Res.*, 44: 1391-1409.

Feely, RA, Lewison, M, Massoth, GJ, Robertaldo, G, Lavelle, JW, Byrne, RH, Von Damm, KL & Curl, HC (1987) Composition and dissolution of black smoker particulates from active vents on the Juan-de-Fuca Ridge. *J. Geophys. Res.* 92, 11347-11363.

Feely R. A., Massoth G. J., Baker E. T., Cowen J. P., Lamb M. F. and Krogslund K. A. (1990) The effect of hydrothermal processes on mid-water phosphorous distributions in the northeast Pacific. *Earth Planet. Sci. Lett.* 96, 305-318.

Feely R.A., Trefry J.H., Massoth G.J. and Metz, S. (1991) A comparison of the scavenging of phosphorous and arsenic from seawater by hydrothermal iron hydroxides in the Atlantic and Pacific oceans. *Deep Sea Res.* 38, 617-623, 1991.

Feely R.A., Baker E.T., Marumo K., Urabe T., Ishibashi J., Gendron J., Lebon G.T. and Okamura K. (1996) Hydrothermal plume particles and dissolved phosphate over the superfast-spreading southern East Pacific Rise. *Geochim. Cosmochim. Acta* 60, 2297-2323.

Feely R.A., Trefry J.H., Lebon G.T. and German, C.R. (1998) The relationship between P/Fe and V/Fe in hydrothermal precipitates and dissolved phosphate in seawater. *Geophys. Res. Lett.* 25, 2253-2256

Fiedler, P.C. and L.D. Talley (2006), "Hydrography of the eastern tropical Pacific: a review," *Progress in Oceanography* 69 (2-4), 143-1

Field, M.P. and Sherrell R.M. (2000) Dissolved and particulate Fe in a hydrothermal plume at 9°45'N, East Pacific Rise: slow Fe(II) oxidation kinetics in Pacific plumes. *Geochim. Cosmochim. Acta* 64, 619-628.

Fischer, E., and C.M.G. van den Berg (1999). Anodic Stripping Voltammetry of lead and cadmium using a mercury film electrode and thiocyanate. *Analytica Chimica Acta*, 385, 273-279.

Fuenzalida, R. , W. Schneider, J. Garces-Vargas, L. Bravo, and C. Lange (2009) "Vertical and horizontal extension of the oxygen minimum zone in the eastern South Pacific Ocean," Deep-Sea Research II 56, 992-1003.

GEOTRACES Science Plan (2006). Scientific Committee on Ocean Research (SCOR). (www.geotraces.org)

German, C.R. and K.L.Von Damm (2004). Hydrothermal Processes. In: "Treatise on Geochemistry" (K.K.Turekian & H.D.Holland, eds.), Vol. 6 "The Oceans and Marine Geochemistry" (H.Elderfield, ed.), Elsevier, Oxford, 181-222.

German C. R., Klinkhammer G. P., Edmond J. M., Mitra A. and Elderfield H. (1990) Hydrothermal Scavenging of rare earth elements in the ocean. Nature 316, 516-518.

German C. R., Fleer A. P., Bacon M. P. and Edmond J. M. (1991a) Hydrothermal scavenging at the Mid-Atlantic Ridge: radionuclide distributions. Earth Planet. Sci. Lett. 105, 170-181.

German C. R., Campbell A. C. and Edmond J. M. (1991b) Hydrothermal scavenging at the Mid-Atlantic Ridge: modification of trace element dissolved fluxes. Earth Planet. Sci. Lett. 107, 101-114.

German, C.R., Bourlès D.L., Brown E.T., Hergt J., Colley S., Higgs N.C., Ludford E.M., Nelsen T.A., Feely R.A., Raisbeck G. and Yiou F. (1997) Hydrothermal scavenging on the Juan de Fuca Ridge: Th-230(xs), Be-10 and REE in ridge-flank sediments. Geochim. Cosmochim. Acta 61, 4067-4078.

German, C.R., Colley S., Palmer M.R., Khripounoff A. and Klinkhammer G.P. (2002) Hydrothermal sediment trap fluxes: 13°N, East Pacific Rise. Deep Sea Res (I) 49, 1921-1940.

German, C.R., A.M.Thurnherr, J.Radford-Knoery, J-L.Charlou, P.Jean-Baptiste H.N.Edmonds (2010). Export fluxes from submarine venting to the ocean: A synthesis of results from the Rainbow hydrothermal field, 36°N MAR. Deep Sea Res. 57, 518-527.

Guilderson, T. and D. Schrag (1998), "Abrupt shift in subsurface temperatures in the tropical Pacific associated with changes in El Niño," Science 281, 240-243.

Hautala, SI & Riser, SC (1993) A Nonconservative Beta-Spiral Determination Of The Deep Circulation In The Eastern South-Pacific. J. Phys. Oc. 23, 1975-2000.

Helffrich K.R. and Speer K.G. (1995) Ocean hydrothermal circulation: mesoscale and basin-scale flow. Geophys. Monogr. (AGU) 91, 347-356.

Hong, H. and D.R. Kester. (1986). Redox state of iron in the offshore waters of Peru.

Limnol. Oceanogr., 31: 512-524.

Hopkinson, B.M. nad K.A. Barbeau. (2007). Organic and redox speciation of iron in the eastern tropical North Pacific suboxic zone. Mar. Chem., 106: 2-17.

Ishibashi J., Wakita H., Okamura K., Nakayama E., Feely R.A., Lebon G.T., Baker E.T. and Marumo K. (1997) Hydrothermal methane and manganese variation in the plume over the superfast-spreading southern East Pacific Rise. Geochim. Cosmochim. Acta 61, 485-500.

Iudicone, D., K.B. Rodgers, R. Schopp, and G. Madec (2007), "An exchange window for the injection of Antarctic Intermediate Water into the South Pacific," Journal of Physical Oceanography 37 (1), 31-49.

¶Jakuba, R. W., J. W. Moffett, et al. (2008a). "Evidence for the linked biogeochemical cycling of zinc, cobalt, and phosphorus in the western North Atlantic Ocean." Global Biogeochemical Cycles 22(4): 13-23.

¶Jakuba, R. W., J. W. Moffett, et al. (2008b). "Use of a modified, high-sensitivity, anodic stripping voltammetry method for determination of zinc speciation in the North Atlantic Ocean." Analytica Chimica Acta 614(2): 143-152.

Jenkins, W. J. , K.L. Elder, A.P. McNichol, and K.F. von Reden (2010), "The passage of the bomb radiocarbon pulse into the Pacific," Radiocarbon 52 (3), 1182-1190.

Kadko, D, Feely, R & Massoth, G (1994) Scavenging of Th-234 and phosphorus removal from the hydrothermal effluent plume over the north cleft segment of the Juan-de-Fuca Ridge. J. Geophys. Res. 99, 5017-5024.

Kadko, D (1993) an assessment of the effect of chemical scavenging within submarine hydrothermal plumes upon ocean geochemistry. Earth planet. Sci. Lett. 120, 361-374.

Karstensen, J. (2004), "Formation of the South Pacific shallow salinity minimum: a southern ocean pathway to the Tropical Pacific," Journal of Physical Oceanography 34 (11), 2398-2412.

Karstensen, J., L. Stramma, and M. Visbeck (2008), "Oxygen minimum zones in the eastern tropical Atlantic and Pacific," Progress in Oceanography 77, 331-350.

Kessler, WS (2006) "The circulation of the eastern tropical Pacific: a review," Progress in Oceanography 69 (2-4), 181-217.

Landing, W.M. and K.W. Bruland. (1987) The contrasting biogeochemistry of iron and manganese in the Pacific Ocean. Geochim. Cosmochim. Acta, 51: 29-43.

Lewis, B. L. and G. W. Luther, III. (2000). Processes controlling the distribution and cycling of manganese in the oxygen minimum zone of the Arabian Sea. Deep Sea Res., 47: 1541-1561.

Lilley M.D., Feely, R.A. and Trefry J.H. (1995) Chemical and biochemical transformation in hydrothermal plumes. Geophys. Monogr. (AGU) 91, 369-391.

Casey, JR, Lomas, MW., Michelou, VK, Dyhrman, ST (2009). Phytoplankton taxon-specific orthophosphate(Pi) and ATP utilization in the western subtropical North Atlantic. Aquatic Microbial Ecology, 58, 31-44

Lupton, J.E., (1995) Hydrothermal plumes: near and far field, in: Seafloor Hydrothermal Systems: Physical, Chemical, Biological, and Geological Interactions, edited by S. Humphris, R. Zierenberg, L. Mullineaux, and R. Thomson, Geophysical Monograph 91 (American Geophysical Union), 317-346.

Lupton J.E. and Craig H. (1981) A major ^3He source on the East Pacific Rise Science 214, 13-18.

Lupton, J.E., (1998) Hydrothermal helium plumes in the Pacific Ocean, J. Geophys. Res., 103, 15,853-15,868.

Martin, J.H. and G.A. Knauer. (1984). VERTEX: Manganese transport through the oxygen minimum. Earth Planet. Sci. Lett., 67: 35-47.

Metz, S & Trefry, JH (1993) field and laboratory studies of metal uptake and release by hydrothermal precipitates. J. Geophys. Res. 98, 9661-9666.

Mills, RA, Taylor, SL, Palike, H & Thomson, J (2010) Hydrothermal sediments record changes in deep water oxygen content in the SE Pacific. Paleoceanography 25, doi 10.1029/2010PA001959.

¶Moffett, J. W. (2009). "Iron reduction and accumulation in oxygen minimum zones." Geochimica Et Cosmochimica Acta 73(13): A890-A890.

¶Moffett, J. W. and C. Dupont (2007). "Cu complexation by organic ligands in the subarctic NW Pacific and Bering Sea." Deep-Sea Research Part I-Oceanographic Research Papers 54(4): 586-595.

¶Moffett, J. W., T. J. Goepfert, et al. (2007). "Reduced iron associated with secondary nitrite maxima in the Arabian Sea." Deep-Sea Research Part I-Oceanographic Research Papers 54(8): 1341-1349.

Mottl M. J. and McConachy T. F. (1990) Chemical processes in buoyant hydrothermal plumes on the East Pacific Rise near 21°N. Geochim. Cosmochim. Acta 54, 1911-1927.

Morrison et al., (1999) The oxygen minimum zone in the Arabian Sea during 1995 Deep-Sea Research II 46 1903-1931

Murray, J.W., B. Spell, and B. Paul. (1981). The contrasting geochemistry of manganese and chromium in the eastern tropical North Pacific. In: Traces metals in seawater (C.S. Wong et al., Eds), NATO Conference Series IV: Marine Sciences, Vol. 9, Plenum Press, New York. 920pp.

Nameroff, T.J., L.S. Ballistrieri, and J.W. Murray. (2002). Suboxic trace metal geochemistry in the eastern tropical North Pacific. Geochim. Cosmochim. Acta, 66: 1139-1158.

¶Naqvi, S.W.A, J. W. Moffett et al. (2010) The Arabian Sea as a high-nutrient, low-chlorophyll region during the late Southwest Monsoon Biogeosciences, 7, 2091–2100

Pennington, JT, Mahoney, KL, Kuwahara, VS, Kolber, DD, Calienes, R, Chavez, FP. (2006). Primary production in the eastern tropical Pacific: A review Progress In Oceanography, Volume 69, Issues 2-4, Pages 285-317

Poulton, SW & Canfield, DE (2006) Co-diagenesis of iron and phosphorus in hydrothermal sediments from the southern East Pacific Rise: Implications for the evaluation of paleoseawater phosphate concentrations. Geochim. Cosmochim. Acta 70, 5883-5898.

Reid (1973) JL "The shallow salinity minima of the Pacific Ocean," Deep-Sea Research 20, 51-68.

Reid, JL(1982) Evidence of an effect of heat-flux from the east pacific rise upon the characteristics of the mid-depth waters. Geophys. Res. Lett. 9, 381-384.

Reid, JL, (1986) "On the total geostrophic circulation of the South Pacific Ocean: flow patterns, tracers and transports," Progress in Oceanography 16 (1), 1-61.

Reid, JL (1997) "On the total geostrophic circulation of the Pacific Ocean: flow patterns, tracers, and transports," Progress in Oceanography 39, 263-352.

¶Rose, A. L., J. W. Moffett, et al. (2008). "Determination of superoxide in seawater using 2-methyl-6-(4-methoxyphenyl)-3,7-dihydroimidazo 1,2-a pyrazin-3(7H)-one chemiluminescence." Analytical Chemistry 80(4): 1215-1227.

¶Rose, A. L., E. A. Webb, et al. (2008). "Measurement and implications of nonphotochemically generated superoxide in the equatorial Pacific Ocean." Environmental Science & Technology 42(7): 2387-2393.

Rudnicki M.D. and Elderfield H. (1993) A chemical model of the buoyant and neutrally buoyant plume above the TAG vent field, 26 degrees N, Mid-Atlantic Ridge. *Geochim. Cosmochim. Acta* 57, 2939-2957.

Ruhlin D.E. and Owen, R.M. (1986) The rare earth element geochemistry of hydrothermal sediments from the East Pacific Rise: examination of a seawater scavenging mechanism. *Geochim. Cosmochim. Acta* 50, 393-400.

Rue, E.L., G.J. Smith, G.A. Cutter, and K.W. Bruland. (1997). The response of trace element redox couples to suboxic conditions in the water column. *Deep-Sea Res.*, 44: 113-134.

Saito, M.A., J.W. Moffett, S.W. Chisholm, and J.B. Waterbury. (2002). Cobalt limitation and uptake in Prochlorococcus. *Limnol. Oceanogr.* 47: 1629–1636.

Sanders, J.G. and P.S. Vermersch. (1982). Response of marine phytoplankton to low levels of arsenate. *J. Plankton Res.* 4:881-893.

Schaller T., Morford J., Emerson S.R. and Feely R.A. (2000) Oxyanions in metalliferous sediments: Tracers for paleoseawater metal concentrations? *Geochim. Cosmochim. Acta* 64, 2243-2254.

Sherrell R.M., Field M.P. and Ravizza, G. (1999) Uptake and fractionation of rare earth elements on hydrothermal plume particles at 9°45'N, East Pacific Rise. *Geochim. Cosmochim. Acta* 63, 1709-1722.

Shimmield, GB & Price, NB (1988) the scavenging of U, Th-230 and Pa-231 during pulsed hydrothermal activity at 20-degrees-s, East Pacific Rise. *Geochim. Cosmochim. Acta* 52, 669-677.

Siedlecki, S.A., Mahadevan, A., Archer, D.E., (2010), The Coastal Ocean as a Supplier of Global Iron: Mechanisms for Iron Export in an Upwelling Regime, *Eos Trans. AGU*, 91(26), Ocean Sci. Meet. Suppl., Abstract IT45A-24.

Sigman et al., (2005). Coupled nitrogen and oxygen isotope measurements of nitrate along the eastern North Pacific margin. *Global Biogeochemical Cycles* Volume: 19 Issue: 4 Article Number: GB4022

Spiess F.N. et al. (1980) East Pacific Rise: Hot springs and geophysical experiments. *Science* 207, 1421-1433.

Statham, P.J., C.R.German & D.P.Connelly (2005). Iron (II) distribution and oxidation kinetics in hydrothermal plumes at the Kairei and Edmond vent sites, Indian Ocean. *Earth Planet. Sci. Lett.* 236, 588-596.

Stommel, H. (1982) Is the South Pacific helium-3 plume dynamically active? *Earth Planet. Sci. Lett.* 61, 63-67

Stommel, H. and A.B.Arons (1960), On the abyssal circulation of the world ocean, Parts I and II. *Deep Sea Res.* 6, 140-154 & 217-233

Stramma, L. et al., (2008). Expanding oxygen minimum zones in the tropical oceans. *Science*, 320. 655-658.

Sunda, W., and R.R.L. Guillard. (1976). The relationship between cupric ion activity and the toxicity of copper to phytoplankton. *J. Mar. Res.* 34: 511–529.

Toner, B.M., S.C.Fakra, S.J.Manganini, C.M.Santelli, M.A.Marcus, J.W.Moffett, O.Rouxel, C.R.German & K.J.Edwards (2009). Preservation of iron (II) by carbon-rich matrices in a hydrothermal plume. *Nature Geosciences*, doi: 10.1038/NGEO433.

Trefry, JH, Trocine, RP, Klinkhammer, GP & Rona, PA (1985) Iron And Copper Enrichment Of Suspended Particles In Dispersed Hydrothermal Plumes Along The Mid-Atlantic Ridge. *Geophys. Res. Lett.* 12, 506-509.

Trocine R.P. and Trefry J.H. (1988) Distribution and chemistry of suspended particles from an active hydrothermal vent site on the Mid-Atlantic Ridge at 26°N. *Earth Planet. Sci. Lett.* 88, 1-15.

Von Damm K.L. (1995) Controls on the chemistry and temporal variability of seafloor hydrothermal fluids. *Geophys. Monogr.* (AGU) 91, 222-247.

¶Ward, B. B., C. B. Tuit, et al. (2008). Organic carbon, and not copper, controls denitrification in oxygen minimum zones of the ocean. *Deep-Sea Research Part I-Oceanographic Research Papers* 55(12): 1672-1683.

Zhang, J.-Z. (2000). Shipboard automated determination of trace concentrations of nitrite and nitrate in oligotrophic water by gas-segmented continuous flow analysis with a liquid waveguide capillary flow cell. *Deep-Sea Res. I*, 47: 1157-1171.

Zhang, J.-Z., and J. Chi. (2002). Automated analysis of nanomolar concentrations of phosphate in natural waters with liquid waveguide. *Environ. Sci. Technol.*, 36: 1048-1053.